


OUTSTANDING PERFORMANCE



Model Number	Free Speed	Power	Collet Size	Collet Options	Vibration Level	Noise Level
PPT1	25,000RPM	0.7Hp	6mm Standard	8mm or 10mm	2.13m/s ²	91dBA




Dimension A	Dimension B	Dimension C	Net Weight	Exhaust	Inlet Thread
195mm	42mm	55mm	0.63kg	Rear	1/4bsp

EXTREME DURABILITY



Model Number	Free Speed	Power	Collet Size	Collet Options	Vibration Level	Noise Level
PPT3	25,000RPM	0.7Hp	6mm Standard	8mm or 10mm	2.30m/s ²	92dBA




Dimension A	Dimension B	Dimension C	Net Weight	Exhaust	Inlet Thread
300mm	42mm	115mm	0.95kg	Rear	1/4bsp



BRITISH MANUFACTURING



Model Number	Free Speed	Power	Collet Size	Collet Options	Vibration Level	Noise Level
PPT6	16,000RPM	1.1Hp	6mm Standard	8mm or 10mm	2.30m/s ²	92dBA



Dimension A	Dimension B	Dimension C	Net Weight	Exhaust	Inlet Thread
350mm	46mm	130mm	1.46kg	Rear	3/8bsp



- Principal die grinders are made in the industrial heartland of Great Britain.
- All our die grinders are manufactured from the highest quality materials to precise tolerances to withstand the arduous environment of today's heavy industry.
- Principal die grinders balance outstanding performance with extreme durability.
- All three tools in the range are available with 6, 8 or 10mm collet.
- Our die grinders offer maximum power with minimum vibration.
- Principal grinders are covered by a full 12 months parts and labour warranty against manufactured defects.











Also available The Principal Burr Catalogue







